

To: "Roy Seneca/R3/USEPA/US@EPA" <Seneca.Roy@epamail.epa.gov>
CC:
Subject: RE: EPA statement on initial water sampling results in Dimock, Pa.

Just to clarify, you said sampling was conducted for 3-1/2 weeks, from Jan. 23-March 15. Did you mean Feb. 15? Or 7-1/2 weeks?

From: Roy Seneca [mailto:Seneca.Roy@epamail.epa.gov]
Sent: Friday, March 16, 2012 3:31 PM
To: McCarthy, Lorraine
Subject: RE: EPA statement on initial water sampling results in Dimock, Pa.

Sorry for not responding earlier... (We will put you on our communications list for Dimock announcements)

EPA is planning to release sampling results to the home owners on a weekly basis in the order in which the homes were sampled. Our sampling effort began the week of January 23rd and continued for three and half weeks through March 15th. At this time we are providing results on the 11 wells sampled during the week of January 23rd

Roy Seneca

EPA Region 3 Press Officer

Office of Public Affairs

seneca.roy@epa.gov

(215) 814-5567

From: "McCarthy, Lorraine" <LMcCarthy@bna.com>

To: Roy Seneca/R3/USEPA/US@EPA

Date: 03/16/2012 02:50 PM

Subject: RE: EPA statement on initial water sampling results in Dimock, Pa.

Thanks Roy. When will the rest of the results be released? I'd like to get the advisory when it comes out, I assume by email--how do I get on the list? --Lorraine

[illegible]

Lorraine McCarthy

Staff Correspondent

Bloomberg BNA

Direct 215.248.6337

lmccarthy@bna.com

From: Roy Seneca [mailto:Seneca.Roy@epamail.epa.gov]

Sent: Friday, March 16, 2012 2:04 PM

To: McCarthy, Lorraine

Cc: Terri-A White

Subject: EPA statement on initial water sampling results in Dimock, Pa.

Lorraine: Here is the EPA statement about the first round of sampling at 11 homes.

On Jan. 19, as a result of requests from residents and a review of the data we had in hand, EPA

announced it would perform water sampling at approximately 60 homes in the Carter Road/Meshoppen Creek Road area of Dimock, Pa. to further assess whether any residents are being exposed to hazardous substances that cause health concerns.

The first round of sampling results is now available for the first 11 homes that were tested during the week of Jan. 23. Sampling results from these 11 homes did not show levels of contamination that could present a health concern. Samples from six of the 11 homes did show concentrations of sodium, methane, chromium or bacteria, but concentrations were all within the safe range for drinking water. The sampling results also identified the presence of arsenic at two homes.

Out of the 11 homes tested, there are currently three homes receiving an alternate water supply provided by EPA. EPA will continue to provide water to these homes while we perform additional sampling to ensure that the drinking water quality at these homes remains consistent and acceptable for use over time. EPA is also taking a second round of samples from the two homes where arsenic was detected, and although the levels meet drinking water standards, we will resample to better characterize the water quality of these wells. After receiving results from the second round of sampling, EPA will re-evaluate the need to continue providing an alternate water source.

EPA has offered to meet with all the residents to go over their data and answer any health-related concerns. As further quality assured data becomes available for the remaining homes, we will share with the homeowners in an expedited manner. Our actions will continue to be based on the science and the law as we work to help get a clear picture of water quality for these homes in Dimock.

Roy Seneca

EPA Region 3 Press Officer

Office of Public Affairs

seneca.roy@epa.gov

(215) 814-5567